





PEGASO





PG-13,5

APLICACIONES INDICADAS / SUITABLE APPLICATIONS / APPLICATIONS APPROPRIÉES



Temperatura ambiente: -20 a +45°C.
Ambient working temperature: -20 a +45°C.
Température de travail : -20 a +45°C.







RG1	MACADAM 3/4	UGR <19	CR>80	L80B50 > 70.000	IK10	IP68-2	CE
-----	----------------	------------	-------	-----------------------	------	--------	----



Ref.	Tamaño Size Dimension	Potencia Power Puissance	Emisión bruta Gross output Flux de la source	Emisión Neta Net output Flux sor- tant	Tª color Tª colour Tª couleur	L	D	D + brida D + clamp D + fixations	Embalaje Packaging Emballage
	(mm)	(W)	(Lm)	(Lm)	(°K)	(mm)	(mm)	(mm)	
PE113	600	13	1.490	1.084	3.000	708	100	120	1
PE114	600	13	1.550	1.127	4.000	708	100	120	1
PE123	600	16	2.560	1.862	3.000	708	100	120	1
PE124	600	16	2.670	1.942	4.000	708	100	120	1
PE213	1200	24	2.980	2.168	3.000	1.317	100	120	1
PE214	1200	24	3.200	2.328	4.000	1.317	100	120	1
PE223	1200	32	5.120	3.724	3.000	1.317	100	120	1
PE224	1200	32	5.340	3.884	4.000	1.317	100	120	1
PE313	1500	29	3.720	2.706	3.000	1.617	100	120	1
PE314	1500	29	4.000	2.910	4.000	1.617	100	120	1
PE323	1500	40	6.310	4.590	3.000	1.617	100	120	1
PE324	1500	40	6.700	4.874	4.000	1.617	100	120	1





RG1	MACADAM 3/4	UGR <19	CR>80	L80B50 > 70.000	IK10	IP68-2	CE
-----	----------------	------------	-------	-----------------------	------	--------	----



ACCESORIOS PEGASO / PEGASO ACCESSORIES / ACCESSOIRES PEGASO

Ref. Q0349

Suspensión con cable de acero
Steel cable suspension
Suspension avec câble en acier



Ref. Q0840

Pieza anticavitación acero inox 316
316 Stainless Steel Anticavitation piece
Acier inox 316 Kit anti-cavitation



Ref. Q0289

BRIDAS ACERO INOXIDABLE 304 APERTURA RÁPIDA
Stainless steel 304 clamps
Colliers inox 304 antivandalisme



Ref. Q0978

Sujeción a báculo
Pole adapter
Adaptateur de lampadaire



Ref. Q0290

Bridas de acero cincado
Zinc-plated Steel clamps
Colliers en acier galvanisé



Ref. Q0291

Bridas de acero inoxidable 316
316 Stainless steel clamps
Colliers inox 316 antivandalisme



LÍNEA CONTINUA
CONTINUOUS LINE CONNECTION
CÂBLAGE TRAVERSANT

Q0292 3 polos / 3 poles / 3 pôles

Q0293 5 polos / 5 poles / 5 pôles

DALI

EMERGENCY
1h/3h