



SECURE BLOCK



APLICACIONES INDICADAS / SUITABLE



APPLICATIONS / APPLICATIONS



Temperatura ambiente: 0 a +50°C.
Ambient working temperature: 0 a +50°C.
Température de travail : 0 a +50°C.



RG1	MACADAM 3/4	UGR <19	L70B50 > 50.000	IP68-2	IK10	CE	2014/34/EU Ex nR IIC T6 Gc Ex tc IIIC T85 °C Dc
-----	----------------	------------	-----------------------	--------	------	----	---




- Permanente / maintained
- No permanente / non-maintained
- Permanente modo on/off / Permanent mode switched

Ref.	Emisión Light emission <i>Intensité lum</i>	Modo Mode <i>Mode</i>	Autonomía Autonomy <i>Autonomie</i>	Tª color Tª colour <i>Tª couleur</i>	L	D	Embalaje Packaging <i>Emballage</i>
	(lm)	(W)	(h)		(mm)	(mm)	
EXSB1	100	●	1,5	5.500	415	81	1
EXSB13	100	●	3	5.500	415	81	1
EXSB4	100	●	1,5	5.500	415	81	1
EXSB43	100	●	3	5.500	415	81	1
EXSB7	100	●	1,5	5.500	415	81	1
EXSB73	100	●	3	5.500	415	81	1
EXSB2	200	●	1	5.500	415	81	1
EXSB5	200	●	1	5.500	415	81	1
EXSB8	200	●	1	5.500	415	81	1
EXSB3	300	●	1	5.500	415	81	1
EXSB6	300	●	1	5.500	415	81	1
EXSB9	300	●	1	5.500	415	81	1



RG1	MACADAM 3/4	UGR <19	L70B50 > 50.000	IP68-2	IK10	CE	2014/34/EU Ex nR IIC T6 Gc Ex tc IIIC T85 °C Dc
-----	----------------	------------	-----------------------	--------	------	----	---



ACCESORIOS SECURE BLOCK / SECURE BLOCK ACCESSORIES / ACCESSOIRES SECURE BLOCK



Ref. Q0349

Suspensión con cable de acero
Steel cable suspension
Suspension avec câble en acier



Q0401

Bridas de acero inoxidable
Stainless steel clamps
Colliers inox antivandalisme



Q0156

Bridas de acero inoxidable de apertura rápida
Quick opening stainless steel clamps
Colliers inox de ouverture rapide à grenouillère



Q0159

Bridas de acero cincado
Zinc-plated steel clamps
Colliers en acier galvanisé



Q0147

Pieza anticavitación
Anticavitation piece
Kit anti-cavitation



Ref.

Q0153

Brida policarbonato anti vandálica
Anti-vandalic PC clamp
Colliers en polycarbonate



Q0978

Sujeción a báculo
Pole adapter
Adaptateur de lampadaire



Ref. EX623

Bridas en plástico antiestático (2 uds.)
Antistatic plastic clamps (2 units)
Colliers en plastique antistatique (2 uts.)



VINILO
VINYL
VINYLE

Ref. Q0310